INDEX TO AUTHORS

ANDERSON, EDWARD H. Nature of the growth factor for the colorless alga *Prototheca zopfii*, 287

—. Studies on the metabolism of the colorless alga *Prototheca zopfii*, 297

ASHKENAZ, E. W. See SPIEGEL-ADOLF, HENNY, and ASHKENAZ, 151

AXELROD, W. L. See UNITED STATES NAVY MEDICAL RESEARCH UNIT No. 1, Berkeley, California, 585

BERG, W. E., HARRIS, MORGAN, WHITAKER, D. M., and TWITTY, V. C. Additional mechanisms for the origin of bubbles in animals decompressed to simulated altitudes, 253

—. See HARRIS, BERG, WHITAKER, and TWITTY, 241

—. See HARRIS, BERG, WHITAKER, TWITTY, and BLINKS, 225

—. See WHITAKER, BLINKS, BERG, TWITTY, and HARRIS, 213

BINGHAM, EUGENE C. The rheology of the blood. V, 605

— and ROEPKE, RAYMOND R. The rheology of the blood. III, 79

— and —. IV. The fluidity of whole blood at 37° C., 131

BISCHOFF, H. W. See UNITED STATES NAVY MEDICAL RESEARCH UNIT No. 1, Berkeley, California, 585

BLINKS, L. R. See HARRIS, BERG, WHITAKER, TWITTY, and BLINKS, 225

—. See WHITAKER, BLINKS, BERG, TWITTY, and HARRIS, 213

BROWN, M. VERTNER. See COX, COATES, and BROWN, 187

BRUES, AUSTIN M. See COHN and BRUES, 449

BURKHEAD, H. R. See UNITED STATES NAVY MEDICAL RESEARCH UNIT No. 1, Berkeley, California, 585

CARR, CHARLES W., GREGOR, HARRY P., and SOLLNER, KARL. The structure of the collodion membrane and its electrical behavior. XII. The preparation and properties of "megapermselective" protamine collodion membranes combining high ionic selectivity with high permeability, 179

— and SOLLNER, KARL. The structure of the collodion membrane and its electrical behavior. XI. The preparation and properties of "megapermselective" collodion membranes combining extreme ionic selectivity with high permeability, 119

—. See SOLLNER and CARR, 1

CHAPLIN, H. See JOHNSON, EYRING, STEBLAY, CHAPLIN, HUBER, and GHERARDI, 463

CHRISTENSEN, L. R. Streptococcal fibrinolysis: a proteolytic reaction due to a serum enzyme activated by streptococcal fibrinolysin, 363

— and MACLEOD, COLIN M. A proteolytic enzyme of serum: characterization, activation, and reaction with inhibitors, 559

CLARK, JANET HOWELL. The temperature coefficient of the urea denaturation of egg albumin, 539

CLARK, L. B. See MYERS and CLARK, 103

COATES, C. W. See COX, COATES, and BROWN, 187

COHN, WALDO E., and BRUES, AUSTIN M. Metabolism of tissue cultures. III. A method for measuring the permeability of tissue cells to solutes, 449

CORNMAN, IVOR. A selective lethal effect of penicillin on sarcoma cells growing with normal tissue in roller tube cultures, 113

COX, R. T., COATES, C. W., and BROWN, M. VERTNER. Electric tissue. Relations between the structure, electrical characteristics, and chemical processes of electric tissue, 187

ERICKSON, JOHN O., and NEURATH, HANS. Immunochemical properties of native and denatured horse serum globulins, 421

EYRING, H. See JOHNSON, EYRING, STEBLAY, CHAPLIN, HUBER, and GHERARDI, 463

FENN, WALLACE O., HAEGE, LORRAINE F., SHERIDAN, EUGENIA, and FLICK, JOHN B. The penetration of ammonia into frog muscle, 53

FLICK, JOHN B. See FENN, HAEGE, SHERIDAN, and FLICK, 53

FRENCH, C. S., and RABIDEAU, G. S. The quantum yield of oxygen production by chloroplasts suspended in solutions containing ferric oxalate, 329

GAFFRON, H. *o*-Phenanthroline and derivatives of vitamin K as stabilizers of photoreduction in *Scenedesmus*, 269

—. Some effects of derivatives of vitamin K on the metabolism of unicellular algae, 259

GHERARDI, G. See JOHNSON, EYRING, STEBLAY, CHAPLIN, HUBER, and GHERARDI, 463

GLAZKO, A. J. See UNITED STATES NAVY MEDICAL RESEARCH UNIT NO. 1, Berkeley, California, 585

GOLUB, O. J. See UNITED STATES NAVY MEDICAL RESEARCH UNIT NO. 1, Berkeley, California, 585

GREGOR, HARRY P. See CARR, GREGOR, and SOLLNER, 179

GUTTMAN, RITA. Action of potassium and narcotics on rectification in nerve and muscle, 43

HAEGE, LORRAINE F. See FENN, HAEGE, SHERIDAN, and FLICK, 53

HARRIS, MORGAN, BERG, W. E., WHITAKER, D. M., and TWITTY, V. C. The relation of exercise to bubble formation in animals decompressed to sea level from high barometric pressures, 241

—, —, —, —, and BLINKS, L. R. Carbon dioxide as a facilitating agent in the initiation and growth of bubbles in animals decompressed to simulated altitudes, 225

—. See BERG, HARRIS, WHITAKER, and TWITTY, 253

—. See WHITAKER, BLINKS, BERG, TWITTY, and HARRIS, 213

HENNY, G. C. See SPIEGEL-ADOLF, HENNY, and ASHKENAZ, 151

HENRY, MARYON D. See HENRY and HENRY, 405, 415

HENRY, RICHARD J., and HENRY, MARYON D. The effect of penicillin on eggs of the sea urchin, *Arbacia punctulata*, 405

— and —. The effect of penicillin on methylene blue adsorption onto activated charcoal, 415

HUBER, C. See JOHNSON, EYRING, STEBLAY, CHAPLIN, HUBER, and GHERARDI, 463

IRELAND, R. L. See PACE and IRELAND, 547

JACOBS, A. H. See UNITED STATES NAVY MEDICAL RESEARCH UNIT NO. 1, Berkeley, California, 585

JOHNSON, F. H., EYRING, H., STEBLAY, R., CHAPLIN, H., HUBER, C., and GHERARDI, G. The nature and control of reactions in biolumines-

cence. With special reference to the mechanism of reversible and irreversible inhibitions by hydrogen and hydroxyl ions, temperature, pressure, alcohol, urethane, and sulfanilamide in bacteria, 463

KRUEGER, A. P. See UNITED STATES NAVY MEDICAL RESEARCH UNIT NO. 1, Berkeley, California, 585

LEIF, W. R. See UNITED STATES NAVY MEDICAL RESEARCH UNIT NO. 1, Berkeley, California, 585

MACLEOD, COLIN M. See CHRISTENSEN and MACLEOD, 559

MARSHAK, A. Changes in the apparent cytoplasmic hydrogen ion concentration of *Ameba dubia* on injection of egg albumin, 95

MATHEWS, J. R. See UNITED STATES NAVY MEDICAL RESEARCH UNIT NO. 1, Berkeley, California, 585

MYERS, JACK, and CLARK, L. B. Culture conditions and the development of the photosynthetic mechanism. II. An apparatus for the continuous culture of *Chlorella*, 103

NEURATH, HANS. See ERICKSON and NEURATH, 421

OSTERHOUT, W. J. V. Differing rates of death at inner and outer surfaces of the protoplasm. I. Effects of formaldehyde on *Nitella*, 23

—. II. Negative potential in *Nitella* caused by formaldehyde, 37

—. III. Effects of mercuric chloride on *Nitella*, 343

—. Studies of the inner and outer protoplasmic surfaces of large plant cells. II. Mechanical properties of the vacuolar surface, 17

PACE, D. M., and IRELAND, R. L. The effects of oxygen, carbon dioxide, and pressure on growth in *Chilomonas paramecium* and *Tetrahymena geleii* Furgason, 547

PONDER, ERIC. The mechanism of the inhibition of hemolysis. II. Effects of pH on inhibition by plasma and by cholesterol sols, 349

—. III. Inhibition by sols of substances related to cholesterol, 357

RABIDEAU, G. S. See FRENCH and RABIDEAU, 329

REINER, J. M. See SPIEGELMAN and REINER, 385

REYNIERS, J. A. See UNITED STATES NAVY MEDICAL RESEARCH UNIT NO. 1, Berkeley, California, 585

ROEPKE, RAYMOND R. See BINGHAM and ROEPKE, 79, 131

ROSENBERG, L. E. See UNITED STATES NAVY MEDICAL RESEARCH UNIT NO. 1, Berkeley, California, 585

SAVIERS, G. B. See UNITED STATES NAVY MEDICAL RESEARCH UNIT NO. 1, Berkeley, California, 585

SHECHMEISTER, I. L. See UNITED STATES NAVY MEDICAL RESEARCH UNIT NO. 1, Berkeley, California, 585

SHERIDAN, EUGENIA. See FENN, HAEGE, SHERIDAN, and FLICK, 53

SOLLNER, KARL, and CARR, CHARLES W. The structure of the collodion membrane and its electrical behavior. X. An experimental test of some aspects of the Teorell and Meyer-Sievers theories of electrical membrane behavior, 1

—. See CARR, GREGOR, and SOLLNER, 179

—. See CARR and SOLLNER, 119

SPIEGEL-ADOLF, M., HENNY, G. C., and ASHKENAZ, E. W. X-ray diffraction studies on frog muscles, 151

SPIEGELMAN, S., and REINER, J. M. Maxima in rate-concentration curves and their relation to the structural aspects of cellular metabolism, 385

STEBLAY, R. See JOHNSON, EYRING, STEBLAY, CHAPLIN, HUBER, and GHERARDI, 463

TEPLOW, A. I. See UNITED STATES NAVY MEDICAL RESEARCH UNIT No. 1, Berkeley, California, 585

THAXTER, M. D. See UNITED STATES NAVY MEDICAL RESEARCH UNIT No. 1, Berkeley, California, 585

TWITTY, V. C. See BERG, HARRIS, WHITAKER, and TWITTY, 253

—. See HARRIS, BERG, WHITAKER, and TWITTY, 241

—. See HARRIS, BERG, WHITAKER, TWITTY, and BLINKS, 225

TWITTY, V. C. See WHITAKER, BLINKS, BERG, TWITTY, and HARRIS, 213

UNITED STATES NAVY MEDICAL RESEARCH UNIT No. 1, Berkeley, California. Studies on the pH and Eh of normal and influenza-infected eggs, 585

WATKINS, H. M. S. See UNITED STATES NAVY MEDICAL RESEARCH UNIT No. 1, Berkeley, California, 585

WHITAKER, D. M., BLINKS, L. R., BERG, W. E., TWITTY, V. C., and HARRIS, MORGAN. Muscular activity and bubble formation in animals decompressed to simulated altitudes, 213

—. See BERG, HARRIS, WHITAKER, and TWITTY, 253

—. See HARRIS, BERG, WHITAKER, and TWITTY, 241

—. See HARRIS, BERG, WHITAKER, TWITTY, and BLINKS, 225

WON, W. D. See UNITED STATES NAVY MEDICAL RESEARCH UNIT No. 1, Berkeley, California, 585

INDEX TO SUBJECTS

ADSORPTION, methylene blue, onto activated charcoal, effect of penicillin, 415
Albumin, egg, injection, changes in cytoplasmic hydrogen ion concentration of *Ameba dubia* after, 95
—, egg, urea denaturation, temperature coefficient, 539
Alcohol, hydrogen and hydroxyl ions, temperature, pressure, urethane, and sulfanilamide, mechanism of reversible and irreversible inhibitions in bacteria by, 463
Alga, colorless, *Prototheca zopfii*, metabolism, 297
—, colorless, *Prototheca zopfii*, nature of growth factor, 287
Algae, unicellular, metabolism, effects of vitamin K derivatives, 259
Altitudes, simulated, additional mechanisms for origin of bubbles in animals decompressed to, 253
—, simulated, carbon dioxide facilitating initiation and growth of bubbles in animals decompressed to, 225
—, simulated, muscular activity and bubble formation in animals decompressed to, 213
Ameba dubia, cytoplasmic hydrogen ion concentration, changes on injection of egg albumin, 95
Ammonia, penetration into frog muscle, 53
Apparatus for continuous culture of *Chlorella*, 103
Arbacia punctulata, eggs, effect of penicillin, 405

BACTERIA, mechanism of reversible and irreversible inhibitions by hydrogen and hydroxyl ions, temperature, pressure, alcohol, urethane, and sulfanilamide, 463
Bioluminescence, reactions, mechanism of reversible and irreversible inhibitions by hydrogen and hydroxyl ions, temperature, pressure, alcohol, urethane, and sulfanilamide in bacteria, 463
Blood, rheology, 79, 605
—, whole, fluidity, at 37°C., 131

CARBON dioxide facilitating initiation and growth of bubbles in animals decompressed to simulated altitudes, 225
—dioxide, oxygen, and pressure, effects on growth in *Chilomonas paramecium* and *Tetrahymena geleii* Furgason, 547
Cells, plant, large, inner and outer protoplasmic surfaces, mechanical properties of vacuolar surface, 17
—, sarcoma, growing with normal tissue in roller tube cultures, selective lethal effect of penicillin, 113
—, tissue, permeability to solutes, method for measuring, 449
Cellular metabolism, structural aspects, relation of maxima in rate-concentration curves, 385
Charcoal, activated, effect of penicillin on methylene blue adsorption onto, 415
Chemical processes, structure, and electrical characteristics of electric tissue, 187
Chilomonas paramecium and *Tetrahymena geleii* Furgason, growth, effects of oxygen, carbon dioxide, and pressure, 547
Chlorella, apparatus for continuous culture, 103
Chloroplasts suspended in solutions containing ferric oxalate, quantum yield of oxygen production, 329

Cholesterol, sols of substances related to, inhibition of hemolysis by, 357
—sols and plasma, effects of hydrogen ion concentration on inhibition of hemolysis by, 349
Collodion membrane, megapermselective, combining extreme ionic selectivity with high permeability, preparation and properties, 119
—membrane, protamine, megapermselective, combining high ionic selectivity with high permeability, preparation and properties, 179
—membrane, structure and electrical behavior, test of Teorell and Meyer-Sievers theories of electrical membrane behavior, 1
Cultivation conditions and development of photosynthetic mechanism, apparatus for continuous culture of *Chlorella*, 103
—, roller tube, selective lethal effect of penicillin on sarcoma cells growing with normal tissue, 113
—, tissue, metabolism, method for measuring permeability of tissue cells to solutes, 449
Cytoplasmic hydrogen ion concentration of *Ameba dubia*, changes on injection of egg albumin, 95

DEATH, differing rates at inner and outer surfaces of protoplasm, effects of formaldehyde on *Nitella*, 23
—, differing rates at inner and outer surfaces of protoplasm, effects of mercuric chloride on *Nitella*, 343
—, differing rates at inner and outer surfaces of protoplasm, negative potential in *Nitella* caused by formaldehyde, 37
—, selective effect of penicillin on sarcoma cells growing with normal tissue in roller tube cultures, 113
Decompression to sea level from high barometric pressures, relation of exercise to bubble formation in animals, 241
—to simulated altitudes, additional mechanisms for origin of bubbles in animals, 253
—to simulated altitudes, carbon dioxide facilitating initiation and growth of bubbles in animals, 225
—to simulated altitudes, muscular activity and bubble formation, 213
Diffraction studies, x-ray, on frog muscles, 151

EGG albumin, injection, changes in cytoplasmic hydrogen ion concentration of *Ameba dubia* after, 95
—albumin, urea denaturation, temperature coefficient, 539
Eggs, normal and influenza-infected, hydrogen ion concentration and oxidation-reduction potential, 585
—of sea urchin, *Arbacia punctulata*, effect of penicillin, 405
Electric tissue, relations between structure, electrical characteristics, and chemical processes, 187
Electrical behavior and structure of collodion membrane, preparation and properties of megapermselective membranes combining extreme ionic selectivity with high permeability, 119
—behavior and structure of collodion membrane, preparation and properties of megapermselective protamine collodion membranes combining high ionic selectivity with high permeability, 179
—behavior and structure of collodion membrane, test of Teorell and Meyer-Sievers theories of electrical membrane behavior, 1
Enzyme, proteolytic, of serum, characterization, activation, and reaction with inhibitors, 559

Enzyme, serum, activated by streptococcal fibrinolysin and inducing streptococcal fibrinolysis, 363
Exercise, relation to bubble formation in animals decompressed to sea level from high barometric pressures, 241

FERRIC oxalate, quantum yield of oxygen production by chloroplasts suspended in solutions containing, 329
Fibrinolysin, streptococcal, proteolytic reaction, streptococcal fibrinolysis, due to serum enzyme activated by, 363
Fibrinolysis, streptococcal, proteolytic reaction due to serum enzyme activated by streptococcal fibrinolysin, 363
Fluidity of whole blood at 37°C., 131
Formaldehyde, effects on *Nitella*, differing rates of death at inner and outer surfaces of protoplasm, 23
—, negative potential in *Nitella* caused by, differing rates of death at inner and outer surfaces of protoplasm, 37

GLOBULINS, serum, horse, native and denatured, immunochemical properties, 421
Growth factor for colorless alga, *Prototheca zopfii*, 287

HEMOLYSIS, inhibition by sols of substances related to cholesterol, 357
—, inhibition, mechanism, effects of hydrogen ion concentration on inhibition by plasma and by cholesterol sols, 349
Horse serum globulins, native and denatured, immunochemical properties, 421
Hydrogen and hydroxyl ions, temperature, pressure, alcohol, urethane, and sulfanilamide, mechanism of reversible and irreversible inhibitions in bacteria by, 463
—ion concentration, cytoplasmic, of *Ameba dubia*, changes on injection of egg albumin, 95
—ion concentration, effects on inhibition of hemolysis by plasma and by cholesterol sols, 349
—ion concentration and oxidation-reduction potential of normal and influenza-infected eggs, 585
Hydroxyl and hydrogen ions, temperature, pressure, alcohol, urethane, and sulfanilamide, mechanism of reversible and irreversible inhibitions in bacteria by, 463

IMMUNOCHEMICAL properties of native and denatured horse serum globulins, 421
Influenza-infected and normal eggs, hydrogen ion concentration and oxidation-reduction potential, 585
Injection, egg albumin, changes in cytoplasmic hydrogen ion concentration of *Ameba dubia* after, 95
Ionic selectivity, extreme, preparation and properties of megapermselective collodion membranes combining high permeability with, 119
—selectivity, high, and high permeability, preparation and properties of megapermselective protamine collodion membranes combining, 179
Ions, hydrogen and hydroxyl, temperature, pressure, alcohol, urethane, and sulfanilamide, mechanism of reversible and irreversible inhibitions in bacteria by, 463

LUMINESCENCE, bio-, reactions, mechanism of reversible and irreversible inhibitions by hydrogen and hydroxyl ions, temperature, pressure, alcohol, urethane, and sulfanilamide in bacteria, 463

MEMBRANE, collodion, megapermselective, combining extreme ionic selectivity with high permeability, preparation and properties, 119
—, collodion, structure and electrical behavior, test of Teorell and Meyer-Sievers theories of electrical membrane behavior, 1
—, megapermselective protamine, collodion, combining high ionic selectivity with high permeability, preparation and properties, 179
Mercuric chloride, effects on *Nitella*, differing rates of death at inner and outer surfaces of protoplasm, 343
Metabolism, cellular, structural aspects, relation of maxima in rate-concentration curves, 385
—of colorless alga, *Prototheca zopfii*, 297
—of tissue cultures, method for measuring permeability of tissue cells to solutes, 449
—of unicellular algae, effects of vitamin K derivatives, 259
Methylene blue adsorption onto activated charcoal, effect of penicillin, 415
Meyer-Sievers and Teorell theories of electrical membrane behavior, test of, 1
Muscle, frog, penetration of ammonia into, 53
—and nerve, rectification, action of potassium and narcotics, 43
Muscles, frog, x-ray diffraction studies, 151
Muscular activity and bubble formation in animals decompressed to simulated altitudes, 213

NARCOTICS and potassium, action on rectification in nerve and muscle, 43
Nerve and muscle, rectification, action of potassium and narcotics, 43
Nitella, effects of formaldehyde, differing rates of death at inner and outer surfaces of protoplasm, 23
—, effects of mercuric chloride, differing rates of death at inner and outer surfaces of protoplasm, 343
—, negative potential caused by formaldehyde, differing rates of death at inner and outer surfaces of protoplasm, 37

OXIDATION-REDUCTION potential and hydrogen ion concentration of normal and influenza-infected eggs, 585
Oxygen, carbon dioxide, and pressure, effects on growth in *Chilomonas paramecium* and *Tetrahymena geleii* Furgason, 547
—production by chloroplasts suspended in solutions containing ferric oxalate, quantum yield, 329

PENICILLIN, effect on eggs of sea urchin, *Arbacia punctulata*, 405
—, effect on methylene blue adsorption onto activated charcoal, 415
—, selective lethal effect on sarcoma cells growing with normal tissue in roller tube cultures, 113
Permeability, high, and high ionic selectivity, preparation and properties of megapermselective protamine collodion membranes combining, 179
—, high, preparation and properties of megapermselective collodion membranes combining extreme ionic selectivity with, 119
—of tissue cells to solutes, method for measuring, 449
o-Phenanthroline and vitamin K derivatives as stabilizers of photoreduction in *Scenedesmus*, 269

Photoreduction in *Scenedesmus*, *o*-phenanthroline and vitamin K derivatives as stabilizers, 269
Photosynthetic mechanism, development, and culture conditions, apparatus for continuous culture of *Chlorella*, 103
Plant cells, large, inner and outer protoplasmic surfaces, mechanical properties of vacuolar surface, 17
Plasma and cholesterol sols, effects of hydrogen ion concentration on inhibition of hemolysis by, 349
Potassium and narcotics, action on rectification in nerve and muscle, 43
Potential, negative, in *Nitella*, caused by formaldehyde, differing rates of death at inner and outer surfaces of protoplasm, 37
—, oxidation-reduction, and hydrogen ion concentration of normal and influenza-infected eggs, 585
Pressure, hydrogen and hydroxyl ions, temperature, alcohol, urethane, and sulfanilamide, mechanism of reversible and irreversible inhibitions in bacteria by, 463
—, oxygen, and carbon dioxide, effects on growth in *Chilomonas paramecium* and *Tetrahymena geleii* Furgason, 547
Pressures, high barometric, relation of exercise to bubble formation in animals decompressed to sea level from, 241
Protamine collodion membranes, megapermselective, combining high ionic selectivity with high permeability, preparation and properties, 179
Proteolytic enzyme of serum, characterization, activation, and reaction with inhibitors, 559
—reaction, streptococcal fibrinolysis, due to serum enzyme activated by streptococcal fibrinolysin, 363
Protoplasm, inner and outer surfaces, differing rates of death, effects of formaldehyde on *Nitella*, 23
—, inner and outer surfaces, differing rates of death, effects of mercuric chloride on *Nitella*, 343
—, inner and outer surfaces, differing rates of death, negative potential in *Nitella* caused by formaldehyde, 37
—, inner and outer surfaces, of large plant cells, mechanical properties of vacuolar surface, 17
Prototheca zopfii, metabolism, 297
—*zopfii*, nature of growth factor, 287

RECTIFICATION in nerve and muscle, action of potassium and narcotics, 43
Reduction, oxidation-, potential, and hydrogen ion concentration, of normal and influenza-infected eggs, 585
Rheology of blood, 79, 605
—of blood, fluidity at 37°C., 131
Roentgen ray diffraction studies on frog muscles, 151

SARCOMA cells growing with normal tissue in roller tube cultures, selective lethal effect of penicillin, 113
Scenedesmus, photoreduction, *o*-phenanthroline and vitamin K derivatives as stabilizers, 269
Sea level, relation of exercise to bubble formation in animals decompressed from high barometric pressures to, 241
—urchin, *Arbacia punctulata*, eggs, effect of penicillin, 405
Serum enzyme activated by streptococcal fibrinolysin and inducing streptococcal fibrinolysis, 363

Serum globulins, horse, native and denatured, immunochemical properties, 421
—, proteolytic enzyme, characterization, activation, and reaction with inhibitors, 559
Streptococcal fibrinolysis, proteolytic reaction due to serum enzyme activated by streptococcal fibrinolysin, 363
Sulfanilamide, hydrogen and hydroxyl ions, temperature, pressure, alcohol, and urethane, mechanism of reversible and irreversible inhibitions in bacteria by, 463

TEMPERATURE coefficient of urea denaturation of egg albumin, 539
—, hydrogen and hydroxyl ions, pressure, alcohol, urethane, and sulfanilamide, mechanism of reversible and irreversible inhibitions in bacteria by, 463
Teorell and Meyer-Sievers theories of electrical membrane behavior, test of, 1
Tetrahymena geleii Furgason and *Chilomonas paramecium*, growth, effects of oxygen, carbon dioxide, and pressure, 547
Tissue cultures, metabolism, method for measuring permeability of tissue cells to solutes, 449
—, electric, relations between structure, electrical characteristics, and chemical processes, 187
—, normal, in roller tube cultures, selective lethal effect of penicillin on sarcoma cells growing with, 113

UREA denaturation of egg albumin, temperature coefficient, 539
Urethane, hydrogen and hydroxyl ions, temperature, pressure, alcohol, and sulfanilamide, mechanism of reversible and irreversible inhibitions in bacteria by, 463

VACUOLAR surface of large plant cells, mechanical properties, 17
Vitamin K derivatives, effects on metabolism of unicellular algae, 259
—K derivatives and *o*-phenanthroline as stabilizers of photoreduction in *Scenedesmus*, 269

X-RAY. *See* Roentgen ray.